

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A47K 10/24, B32B 3/04		A1	(11) International Publication Number: WO 96/26664
			(43) International Publication Date: 6 September 1996 (06.09.96)
(21) International Application Number: PCT/US96/02456		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 23 February 1996 (23.02.96)			
(30) Priority Data: 08/397,398 2 March 1995 (02.03.95) US			
(71) Applicant: KIMBERLY-CLARK TISSUE CORPORATION (formerly known as SCOTT PAPER COMPANY) [US/US]; 401 North Lake Street, Neenah, WI 54956 (US).			
(72) Inventors: MCCONNELL, Wesley, James; 12 Dougherty Boulevard, B-5, Glen Mills, PA 19342 (US). BOUND, John, Anthony; 23 Thames Drive, Leigh-on-Sea, Essex SS9 SZQ (GB).			
(74) Agent: SIDOR, Karl, V.; Kimberly-Clark Corporation, 401 North Lake Street, Neenah, WI 54956 (US).		Published With international search report.	

(54) Title: IMPROVED FOLDED ABSORBENT PAPER PRODUCT AND METHOD



(57) Abstract

An improved folded absorbent paper product (32) includes a first, central panel (34); a second panel (40), unitary with the first panel and folded over a first side of said first panel (34); a third panel (48), unitary with the first panel (34), and folded over a second side of the first panel (34); a fourth panel (56), unitary with the second panel (40), and folded so as to be positioned between the first (34) and second (40) panels; and a fifth panel (58) that is unitary with the third panel (48) and folded so as to be positioned between said first (34) and third (48) panels. Advantages of the improved product (32) include an optimization of weight to space considerations, the fact that exposed edges (62, 64) are kept out of view, an ability to work in a gravity feed dispenser in any of four possible orientations, and an assurance of double ply strength at intended gripping locations. A method of dispensing and of use is also disclosed.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

IMPROVED FOLDED ABSORBENT PAPER PRODUCT AND METHOD
BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention pertains, in general, to folded web products and processes for dispensing such products. More specifically, this invention relates to an improved dispensable folded absorbent paper product, such as a paper towel for a public washroom, that provides improved absorbency to weight and to volume with respect to conventional C-fold paper products, is aesthetically pleasing and is virtually impossible to misload in a gravity feed dispenser.

2. Description of the Prior Art

Folded absorbent paper products, such as the folded paper towels that are commonly provided in public washroom dispensers, have been and are in wide use throughout the world.

The most common type of paper towel fold, known as the "C-fold," is depicted in diagrammatical cross-section in FIGURE 1. A C-fold towel typically has a closed end that is defined by a main panel 14 of absorbent paper material and an open end 16 that is defined by secondary and tertiary absorbent paper panels 18, 20, respectively. Secondary and tertiary panels 20 are unitary with main panel 14, and are, respectively, connected to main panel 14 at fold lines that are at opposite ends of main panel 14, as maybe seen in FIGURE 1. Open end 16 includes an open gap 22 that is between the secondary and tertiary panels 18, 20. A

- 2 -

C-fold is most commonly made up of a two ply material, such as the first ply 24 and the second ply 26 shown in FIGURE 1.

One common problem with C-fold type paper towels may be seen in reference to FIGURES 2A and 2B. C-fold towels are designed to be stacked in a gravity feed dispenser 28 of the type that has a lower opening 30 so that the open end 16 faces downwardly, as is shown in FIGURE 2A. In this position, a user can grab either the secondary or tertiary panel 18, 20 to pull the towel 10 out of the dispenser 28. However, when stacked improperly, as shown in FIGURE 2B, with the closed end 12 oriented downwardly, dispensing is awkward, and often results in wastage. Not uncommonly, maintenance personnel will stack C-fold towels improperly, as shown in FIGURE 2B, rather than as shown in FIGURE 2A.

Many gravity feed dispensers have offset openings at the bottom. Most C-fold towels are symmetrical in the sense that the secondary panel 18 is of the same length as the tertiary panel 20. As a result, conventional C-fold towels cannot be loaded in a manner that is optimum for a dispenser having an offset throat.

Moreover, C-fold type towels utilize space inefficiently in the sense that the towel is twice as thick beneath the secondary and vertical panels as in the area beneath the open gap 22. This adversely affects the density with which the towels can be stored in a dispenser. In addition, the uneven density distribution across the width of the C-fold towel 10 can result in a "seagulling" effect, in which a stack of towels will bow at the center.

It is clear that a long and unfilled need has existed in this area of technology for an improved absorbent paper product, such as a paper towel for a public wash room, that provides improved absorbency to weight and to volume with respect to conventional paper products, is aesthetically pleasing, and is virtually impossible to mis-load in a gravity feed type dispenser.

SUMMARY OF THE INVENTION

Accordingly, it is an object of the invention to provide an improved folded absorbent paper product, such as a paper towel for a public wash room, that provides improved
5 absorbency to weight and to volume with respect to conventional C-fold paper products, is aesthetically pleasing and is virtually impossible to misload in a gravity feed type dispenser.

In order to achieve the above and other objects of
10 the invention, an improved dispensable folded web product that is functionally and aesthetically superior to conventional folded web products includes, according to a first aspect of the invention, a first, central panel having a first fold line at a first end and a second fold line at a
15 second end that is opposite from the first end; a second panel, the second panel having a first end that is joined with the first panel at the first fold line, and a second end having a third fold line defined thereat; a third panel, the third panel having a first end that is joined with the
20 first panel at the second fold line and a second end having a fourth fold line defined thereat; a fourth panel, the fourth panel being joined to the second panel at the third fold line, the fourth panel being folded with respect to the second panel at the third fold line so that the fourth panel
25 is positioned substantially between the first panel and the second panel; and a fifth panel, the fifth panel being joined the third panel at the fourth fold line, the fifth panel being folded with respect to the third panel at the fourth fold line so that the fifth panel is positioned
30 substantially between the third panel and the first panel, whereby the folded web product is constructed so as to optimize weight to space considerations, to keep exposed edges out of view, and to ensure double ply strength at intended gripping locations.

35 An improved dispensable folded absorbent paper product that is functionally and aesthetically superior to a conventional absorbent folded paper product includes,

according to a second aspect of the invention, a first, central panel; a second panel unitary with the first panel and folded over a first side of the first panel; a third panel, unitary with the first panel, and folded over a
5 second side of the first panel; a fourth panel, unitary with the second panel, and folded so as to be positioned between the first and second panels; and a fifth panel, unitary with the third panel, and folded so as to be positioned between the first and third panels, whereby the folded absorbent
10 paper product is constructed so as to optimize weight to space considerations, to keep exposed edges out of view, and to ensure double ply strength at intended gripping locations.

According to a third aspect of the invention, a
15 method of dispensing a folded absorbent paper product includes steps of (a) loading an improved folded absorbent paper product into a dispenser, the improved absorbent paper product including a first, central panel; a second panel, unitary with the first panel and folded over a first side of
20 the first panel; a third panel, unitary with the first panel, and folded over a second side of the first panel; a fourth panel, unitary with the second panel, and folded so as to be positioned between the first and second panels; and a fifth panel, unitary with the third panel, and folded so
25 as to be positioned between the first and third panels; and (b) removing the paper product from an opening of the dispenser by grasping the paper product at the second and fourth panels.

These and various other advantages and features of
30 novelty which characterize the invention are pointed out with particularity in the claims annexed hereto and forming a part hereof. However, for a better understanding of the invention, its advantages, and the objects obtained by its use, reference should be made to the drawings which form a
35 further part hereof, and to the accompanying descriptive matter, in which there is illustrated and described a preferred embodiment of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a diagrammatical cross sectional depiction of a conventional C-fold type disposable paper towel;

- 5 FIGURES 2A and 2B are diagrammatical depictions of proper and improper, respectively, ways of loading a conventional C-fold type disposable paper towel into a gravity feed dispenser;

- 10 FIGURE 3 is a diagrammatical cross sectional depiction of an improved dispensable folded web product that is constructed according to a preferred embodiment of the invention;

- 15 FIGURE 4 is a diagrammatical cross sectional depiction of an improved dispensable folded web product that is constructed according to a second embodiment of the invention;

FIGURE 5 is a perspective view of the improved dispensable web product depicted in FIGURE 3;

- 20 FIGURE 6 is a depiction of the improve dispensable folded web product depicted in FIGURES 3 and 5, shown in a compressed folded state;

- 25 FIGURES 7A-7D are depictions of an improved disposable folded web product according to the embodiment of FIGURES 3, 5 and 6, shown loaded in different possible orientations in a gravity feed type dispenser that has a central lower opening; and

FIGURES 8A-8D are depictions similar to that provided in FIGURES 7A-7D, but with a dispenser having an offset lower opening.

30 **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT(S)**

- Referring now to the drawings, wherein like reference numerals designate corresponding structure throughout the views, and referring in particular to FIGURE 3, an improved dispensable folded web product 32 that is
- 35 functionally and aesthetically superior to conventional folded web products includes, according to a preferred

- 6 -

embodiment of the invention, a first, central panel 34 that has a first fold line 36 at a first end 70 and a second fold line 38 at a second end 72 that is opposite from the first end 70. Web product 32, which is preferably embodied as an absorbent paper product such as a paper towel, further includes a second panel 40 having a first end 42 that is joined with first panel 34 at first fold line 36 and a second end 44 having a third fold line 46 defined thereat. A third panel 48 having a first end 50 that is joined with first panel 34 at second fold line 38 further includes a second end 52 having a fourth fold line 54 defined thereat. Dispensable folded web product 32 also includes a fourth panel 56 that is joined to second panel 40 at third fold line 46. Fourth panel 56 is folded with respect to the second panel 40 at the third fold line 46 so that fourth panel 56 is positioned substantially between the first panel 34 and the second panel 40. Similarly, improved web product 32 includes a fifth panel 58 that is joined to the third panel 48 at fourth fold line 54. Fifth panel 58 is folded with respect to third panel 48 at fourth fold line 54 so that the fifth panel 58 will be positioned substantially between the third panel 48 and the first panel 34 when folded as shown in FIGURES 3, 5 and 6.

A first edge 62 of the folded web product 32 is defined on an end of fourth panel 56 that is opposite from the third fold line 46. Similarly, folded web product 32 includes a second edge 64 that is on fifth panel 58 and is positioned oppositely from line 54. Since the fourth and fifth panels 56, 58 are folded so as to be between the second and third panels 40, 48, respectively, and first panel 34, the first and second edges 62, 64 will not be readily visible to an observer, as they are in a C-fold type paper towel. This creates an aesthetic effect that will improve the qualitative impression of the product to a consumer.

In all embodiments of the invention, the combined width of the second and third panels 40, 48 are not greater

than the width of the first panel 34, which will insure that the web product 32 is of uniform thickness throughout when folded flat. The width of the first panel is defined as being the distance from first fold line 36 to second fold line 38. The width of second panel 40 is defined as being the distance from first fold line 36 to third fold line 46, and the width of third panel 38 is defined as being the distance from second fold line 38 to fourth fold line 54. A mid-point 60 of the distance on first panel 34 between first fold line 36 and second fold line 38 is indicated in FIGURES 3 and 4. In the embodiment of FIGURES 3, 5 and 6, second panel 40 has a width that is greater than the width of third panel 48, which causes the third fold line 46 to be positioned on an opposite side of mid-point 60 from first full line 36. This non-symmetric embodiment is the preferred embodiment of the invention, and is especially suited for gravity feed dispensers of the type that have an offset opening at the bottom. The second embodiment of the invention, shown in FIGURE 4, is identical to that depicted in FIGURES 3, 5 and 6, with the exception that second panel 40 has a width that is substantially equal to that of third panel 48. This, as may be seen in FIGURE 4, causes the third and fourth fold lines 46, 54 to be positioned substantially at the mid point 60 of first panel 34 when folded flat.

FIGURES 7A-7D depict an improved dispensable folded web product according to the embodiments of FIGURES 3, 5 and 6 being dispensed from a gravity feed type paper towel dispenser of the type that has a centered access opening at its bottom. FIGURES 7A-7D depict, respectively, the four possible orientations of the web product 32 in the dispenser 32. The orientations shown in FIGURES 7C and 7D are slightly superior in performance, but web product 32 can be effectively dispensed in any of the four orientations. This contrasts starkly with the dispensing problems with which the C-fold type paper towel is afflicted, as is discussed above in reference to FIGURE 2A and 2B.

FIGURES 8A-8D depict web product 32 being dispensed from a gravity feed-type paper towel dispenser of the type that has a slightly offset opening at the bottom. Again, FIGURES 8A-8D depict, respectively, the four possible orientations of the web product 32 in the dispenser. The orientation shown in FIGURE 8A has been found to achieve good performance. The orientation shown in FIGURE 8B will achieve poorer performance, but performance that will exceed that of the improper loading position of the C-fold type towel that is shown in FIGURE 2B. The orientation shown in FIGURE 8C will achieve exceptional dispensing performance. The orientation shown in FIGURE 8D will achieve excellent dispensing performance.

It is to be understood, however, that even though numerous characteristics and advantages of the present invention have been set forth in the foregoing description, together with details of the structure and function of the invention, the disclosure is illustrative only, and changes may be made in detail, especially in matters of shape, size and arrangement of parts within the principles of the invention to the full extent indicated by the broad general meaning of the terms in which the appended claims are expressed.

WHAT IS CLAIMED IS:

1. An improved dispensable folded web product that is functionally and aesthetically superior to conventional folded web products, comprising:

5 a first, central panel having a first fold line at a first end and a second fold line at a second end that is opposite from said first end;

a second panel, said second panel having a first end that is joined with said first panel at said first fold
10 line, and a second end having a third fold line defined thereat;

a third panel, said third panel having a first end that is joined with said first panel at said second fold
15 line and a second end having a fourth fold line defined thereat;

a fourth panel, said fourth panel being joined to said second panel at said third fold line, said fourth panel being folded with respect to said second panel at said third fold line so that said fourth panel is positioned
20 substantially between said first panel and said second panel; and

a fifth panel, said fifth panel being joined to said third panel at said fourth fold line, said fifth panel being folded with respect to said third panel at said fourth
25 fold line so that said fifth panel is positioned substantially between said third panel and said first panel, whereby the folded web product is constructed so as to optimize weight to space considerations, to keep exposed edges out of view, and to ensure double ply strength at
30 intended gripping locations.

2. A web product according to claim 1, wherein said web product comprises a continuous web having a first edge and a second opposite edge, said first edge being on said fourth panel opposite to said third fold line, said
35 second edge being on said fifth panel opposite to said fourth fold line.

3. A web product according to claim 1, wherein said folded web product is an absorbent paper product.

4. A web product according to claim 1, wherein said first panel has a width that is defined as being a distance from said first fold line to said second fold line, said second panel has a width that is defined as being a distance from said first fold line to said third fold line, and said third panel has a width that is defined as being a distance from said second fold line to said fourth fold line, and the combined widths of said second and third panels are not greater than the width of said first panel, whereby said second and third panels will not overlap when said web product is flattened for stacking.

5. A web product according to claim 4, wherein the width of the second panel is greater than the width of the third panel, whereby the folded web product is asymmetrical.

6. A web product according to claim 4, wherein the width of the second panel is substantially the same as the width of the third panel, whereby the folded web product is asymmetrical.

7. A web product according to claim 1, wherein said second panel has a width that is defined as being a distance from said first fold line to said third fold line and said fourth panel has a width that is defined as being a distance from said third fold line to a first edge said web, and said width of said fourth panel is less than said width of said second panel.

8. A web product according to claim 1, wherein said third panel has a width that is defined as being a distance from said second fold line to said fourth fold line and said fifth panel has a width that is defined as being a

- 11 -

distance from said fourth fold line to a second edge said web, and said width of said fifth panel is less than said width of said third panel.

9. An improved dispensable folded absorbent
5 paper product that is functionally and aesthetically superior to conventional absorbent folded paper products, comprising:
- a first, central panel;
 - a second panel, unitary with said first panel and
10 folded over a first side of said first panel;
 - a third panel, unitary with said first panel, and folded over a second side of said first panel;
 - a fourth panel, unitary with said second panel, and folded so as to be positioned between said first and
15 second panels; and
 - a fifth panel, unitary with said third panel, and folded so as to be positioned between said first and third panels, whereby the folded absorbent paper product is constructed so as to optimize weight to space
20 considerations, to keep exposed edges out of view, and to ensure double ply strength at intended gripping locations.

10. A paper product according to claim 9, wherein said second panel does not overlap said third panel when said paper product lies flat, whereby said paper product is
25 maintained at a constant multiply thickness.

11. A paper product according to claim 10, wherein said second panel has a width that is greater than a width of said third panel.

12. A method of dispensing a folded absorbent
30 paper product, comprising:
- (a) loading an improved folded absorbent paper product into a dispenser, the improved absorbent paper product including a first, central panel; a second panel,

- 12 -

unitary with said first panel and folded over a first side of said first panel; a third panel, unitary with said first panel, and folded over a second side of said first panel; a fourth panel, unitary with said second panel, and folded so
5 as to be positioned between said first and second panels; and a fifth panel, unitary with said third panel, and folded so as to be positioned between said first and third panels; and

(b) removing said paper product from an opening
10 of the dispenser by grasping said paper product at said second and fourth panels.

13. A method according to claim 12, wherein step (b) comprises removing said paper product from a bottom opening of a gravity feed type dispenser.

1/3




FIG. 1
PRIOR ART




FIG. 2A
PRIOR ART




FIG. 2B
PRIOR ART

2/3




FIG. 3




FIG. 4




FIG. 5

3/3




FIG. 6



FIG. 7A



FIG. 7B



FIG. 7C



FIG. 7D



FIG. 8A



FIG. 8B



FIG. 8C



FIG. 8D

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/02456

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A47K 10/24; B32B 3/04

US CL : 428/122, 124, 126, 121, 192; 206/494; 221/47, 48, 49, 52

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 428/122, 124, 126, 121, 192; 206/494; 221/47, 48, 49, 52

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US, A, 1,996,307 (SHAPIRO) 02 April 1935, see figures 1 and 3.	1-3, 7-9
Y		1-13
Y	US, A, 4,181,225 (SPIEGELBERG) 13 March 1979, see figure 2.	1-11
Y	US, A, 1,122,108 (HAMILTON) 22 December 1914, see figure 1.	12-13

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

Special categories of cited documents:	
A document defining the general state of the art which is not considered to be part of particular relevance	*T* later documents published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
E earlier document published on or after the international filing date	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
O document referring to an oral disclosure, use, exhibition or other means	*G* document member of the same patent family
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

21 MAY 1996

Date of mailing of the international search report

12 JUN 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Authorized officer

NASSER AHMAD

Facsimile No. (703) 305-3230

Telephone No. (703) 308-2351